



moisture because the surrounding turf grass was regularly irrigated.

In certain instances flower color, bloom period and general habit were

*lewisii* and *A. tomentosa*, was probably

due to excessive moisture in

likely contribute to the generation of received the lowest sum

or effectiveness through soil aeration measure

... was not winter hardy and ... One year ...

... length of bloom, habit (in ...

... and character traits such as ...

... inflorescences were produced from early ...

... and character traits such as ...

... and character traits such as ...

... and character traits such as ...

... and character traits such as ...

... and character traits such as ...

... and character traits such as ...

... and character traits such as ...

... and character traits such as ...

... and character traits such as ...

... and character traits such as ...

... and character traits such as ...

... and character traits such as ...

... and character traits such as ...

... and character traits such as ...

... and character traits such as ...

... and character traits such as ...

... and character traits such as ...

... and character traits such as ...

... and character traits such as ...

## 4 Plant Evaluation Notes

Table 1: Characteristics and Performance Summary for *Achillea*, 1989-1993

Rating	<i>Achillea</i>	Flower Color/R.H.S. <sup>1</sup>	Infloresc.	Bloom Period <sup>2</sup>	Height <sup>3</sup>	Habit
NR	<i>ageratum</i>	yellow/2A	3.8 cm (1-1/2 in.)	late Jun-mid Oct	40.6-48.3 cm (16-19 in.)	CC
***	'Agnobrius'	yellow/2A	3.8 cm (1-1/2 in.)	late May-early Jul **	43.2-50.8 cm (17-20 in.)	CC
CE	***	<i>filipendulina</i> 'Gold Plate'	yellow/14B	10.2-12.7 cm (4-5 in.)	early Jul-early Sep	91.4-111.8 cm (36-44 in.)
CE	***	<i>filipendulina</i> 'Parker's Variety'	yellow/14A	7.6-10.2 cm (3-4 in.)	early Jul-early Sep	86.4-116.8 cm (34-46 in.)
SE	***	'Hoffnung'	tawny yellow/16C	10.2-15.2 cm (4-6 in.)	mid Jun-mid Sep **	71.1-83.8 cm (28-33 in.)
SF	***	'Jambo'	lemon yellow/5C	7.6-15.7 cm (3-6 in.)	mid Jun-mid Sep **	73.6-91.4 cm (29-36 in.)
CG	* NR	<i>x kolbiana</i>	white	3.8 cm (1-1/2 in.)	late May-mid Jun	12.7-15.2 cm (5-6 in.)
* NR	<i>x lewisii</i> 'King Edward'	pale yellow	12.7 cm (5 in.)	late May-late Jul	7.6-10.2 cm (3-4 in.)	CC